

(5)

C A T A L O G U E

O F

Hosack

P L A N T S,

Exotic and Indigenous,

I N T H E

B O T A N I C A L G A R D E N,

J A M A I C A,

M D C C X C I I .

LIBRARY
NEW YORK
BOTANICAL
GARDEN

by Thomas Daniel

1755-1811

S T. J A G O D E L A V E G A :

PRINTED BY ALEXANDER AIKMAN, PRINTER TO THE HONOURABLE HOUSE OF
ASSEMBLY.

+ QK

73

.B34

D35

J^m M. Ross
presented by
Samuel Vaughan Esq.
Dedication. *Luca, Harrow, Jamaica.*
Jan. 2. 1804.

TO THE HONOURABLE
SAMUEL WILLIAMS HAUGHTON, ESQ.
SPEAKER,
AND THE OTHER MEMBERS,
OF THE HON. HOUSE OF ASSEMBLY,
THIS CATALOGUE
OF THE PLANTS
IN THE BOTANICAL GARDEN,
IS MOST RESPECTFULLY INSCRIBED,
BY
THEIR MOST OBEDIENT, AND
DEVOTED HUMBLE SERVANT,
Thos. Dancer.

HN

P R E F A C E.

THE following Catalogue was made out by Order of the Honourable House of Assembly, and is likewise printed by their direction for the public use.

Care has been taken to make it answer the ends proposed, by adding references to the principal Plants. The merited acknowledgments are also made to the Gentlemen who have contributed to the Botanical Garden; and the original introduction of all the exotics are traced as correctly as possible. If I have been guilty of any omissions, or made any mistakes, I shall be glad, on a future occasion, whenever it may be deemed necessary to print a new and enlarged Edition, to make the necessary amendments.

N. B. *The Plants which have this † note prefixed to them, being lately introduced, are in an uncertain state.*

CATALOGUE OF PLANTS

IN THE

BOTANICAL GARDEN.

LIBRARY
NEW YORK
BOTANICAL
GARDEN

Oriental, African, and South-Sea Trees, Shrubs, &c.

Laurus

Cinnamomum

RASSE Coronde, or true Ceylon Cinnamon; *vide* a paper on the Jamaica Cinnamon, in the volume of the Transactions of the Society of Arts, &c. also in the Annual Register for 1791. The specimens of Jamaica Cinnamon sent home have been approved of; and deemed equal, if not superior, to the best Ceylon Cinnamon. Several gentlemen are establishing plantations; and one gentleman, I am informed, has already set out 50,000 plants

Mangifera

Indica

Mango-Tree, several varieties

Artocarpus

Macrocarpon

Jaack, a species of the Bread Fruit; *vide* Dissertation of Thurnberg, for the various uses of the Jaack and Bread Fruit

Garcinia?

A supposed species of Mangosteen

Pandanus

Chinese Hemp Palm

Spondias

Otaheite Plum

Guilandina

Moringa

Moringa, root used for horse-radish; said, but erroneously, to be the *Lignum Nepbriticum* of the shops

Mimosa

Lebeck

Bois Noir, Oriental Ebony

N. B.

N. B. The foregoing Plants were taken in a French prize, from the Isle of Bourbon to St. Domingo, and presented to the Botanical Garden by Lord Rodney; which donation is commemorated by the following inscription on an obelisk in the Botanical Garden, erected for that purpose:

PERILLUSTRI VIRO

RODNEY

QUI

Patriam Virtute ejus conservatam

Ornare atq. ditare

exoptans

Cinnamomum

Pluresq. Stirpes Orientales

Quæ hic vigent

Largiebatur

A. D. 1782.

| | | |
|---------------------|---|---|
| <i>Sapindus</i> | <i>Edulis</i> | <i>La-tji</i> , or <i>Lee-chee</i> , Chinese Plumb. Introduced by Dr. Clarke. <i>Vide</i> Du Halde |
| <i>Gyner</i> | <i>Circinalis</i> | Sagoe. Introduced by Dr. Clarke. For an account of the cultivation and preparation of the Sagoe, <i>vide</i> Forrest's Voyage to New Guinea |
| * <i>Croton?</i> | <i>Sebiferum</i> | Tallow Tree. First introduced by Mr. Pinnock. Introduced into the Garden by Dr. Clarke |
| <i>Mimosa</i> | <i>Nilotica?</i> | Gum Arabic, produces fine gum. Introduced by Dr. Clarke |
| — | | Another species, said to produce Gum Arabic. Introduced by Mr. East |
| <i>Morus</i> | <i>Papyrifera</i> | Paper Mulberry. Introduced by Dr. Clarke. <i>Vide</i> Cook's Voyages, for an account of the manner in which paper and cloth are made from the bark of this tree |
| <i>Thuja</i> | <i>Occidentalis</i> | Oriental <i>Arbor Vita</i> . Introduced by Dr. Clarke. First introduced into the country by Mr. Wallen |
| <i>Dracena</i> | <i>Ferrea</i> | Dragon Tree. Introduced by Dr. Clarke |
| <i>Hedysarum</i> | <i>Gyrans</i> | Moving Plant. Introduced by Dr. Clarke |
| <i>Thea</i> | <i>Viridis</i> | Tea. First introduced into the country by Mr. Baker, several years ago |
| <i>Olea</i> | <i>Fragrans</i> | Chinese Olive, with the flowers of which it is said the best teas are scented. Introduced by Mr. East |
| <i>Wampee</i> | An unknown Genus of Fruit from China. Sent to Tho. Dancer by Sir Joseph Banks, 1790 | |
| <i>Ginkgo</i> | <i>Biloba</i> | Maidenhair Tree. A tree from Japan, producing an excellent nut. See an account of it in Koempfer. Introduced by Tho. Dancer, 1792 |
| <i>Philadelphus</i> | <i>Aromaticus?</i> | Tea of the Circumnavigators. Introduced by Mr. East. Presented by Mr. Thame |

| | | |
|-------------------------|---------------------|--|
| † <i>Metrosidera</i> | | Botany-Bay Spice Tree. Introduced by Thomas Dancer, 1792. |
| † <i>Lotus</i> | <i>Similis</i> | Botany-Bay Plant. Seeds sent to Thomas Dancer by Mr. Lee |
| † <i>Mimosa</i> | <i>Heterophylla</i> | Another Botany-Bay Plant. Seeds sent by Mr. Lee |
| † <i>Bankia</i> | <i>Sinuata</i> | Another Botany-Bay Plant. Introduced by Thomas Dancer, 1792. |
| <i>Kæmpferia</i> | <i>Galanga</i> | <i>Galangal</i> . Medicinal Root. Introduced by Dr. Clark |
| <i>Curcuma</i> | <i>Longa</i> | Turmeric. Introduced by Mr. Pinnock. |
| <i>Piper</i> | <i>Nigrum</i> | Sumatra Black Pepper. Sent by Dr. Anderson from the Royal Garden at St. Vincent's, and presented by Mr. Hylton. |
| <i>Amomum?</i> | <i>Gr. Paradisi</i> | Grains of Paradise, or Guiney Pepper. Introduced by Mr. Hibbert, from Africa. |
| — | <i>Cardamomum</i> | Cardamom Seeds of the Shops. Introduced by Thomas Dancer, 1792. |
| <i>Oldenlandia</i> | <i>Umbellata</i> | <i>Che.</i> A valuable dye from the East-Indies. See Dr. Anderson's account of it, published in the Royal Gazette of Jamaica, May 7, 1791. |
| <i>Basella</i> | <i>Rubra</i> | Another East-India dye. Seeds brought out by Lord Effingham. |
| * <i>Citrus</i> | <i>Mandarina</i> | Mandarine Orange. Introduced by Mr. East. Presented by Mr. Thame. |
| <i>Cola</i> (gen. nov.) | <i>Africana</i> | An African Fruit, introduced by the Negroes before Sloane's time, called Bichey or Beffai. |
| <i>Aka</i> (gen. nov.) | <i>Africana</i> | Another African Fruit, introduced by Negroes in some of Mr. Hibbert's ships. |
| <i>Adansonia</i> | <i>Digitata</i> | <i>Baobab</i> . Æthiopian Sour Gourd, or Monkey Bread Fruit. Introduced by Mr. East, and presented by him. |

* *Citrus non. est.**Phoenix*

March
6. 1009
sent to
Mithila

| | | |
|--------------------|----------------------|---|
| <i>Phœnix</i> | <i>Dactylifera</i> | Date. Probably introduced by persons of the Jewish Nation |
| <i>Elais</i> | <i>Guinensis</i> | Palm Oil. Likewise introduced by the Jews |
| <i>Aschynomene</i> | <i>Grandiflora</i> | Choiseul Pea. Introduced by Mr. Kemeys |
| — | <i>Sesban</i> | Sesban. Introduced by Dr. Clarke |
| <i>Camellia</i> | <i>Japonica</i> | Japan Rose. Introduced by Mr. Wallen, and presented by him |
| <i>Gardenia</i> | <i>Florida</i> | Introduced first by Mr. Wallen, afterwards by Dr. Clarke |
| <i>Hibiscus</i> | <i>Rosa Sinenfis</i> | Chinese Rose. Introduced by Mr. Pinnock |
| | <i>Mutabilis</i> | Changeable Rose. Introduced by |
| | <i>Populneus</i> | East-India Mahoe. Introduced by Mr. East |
| | <i>Syriacus</i> | Syrian <i>Hibiscus</i> . Introduced by T. Dancer, 1792 |
| <i>Monsonia</i> | <i>Speciosa</i> | Introduced by Thomas Dancer, 1792 |
| <i>Rosa</i> | <i>Alba Indica</i> | East-India White Rose. Introduced by Mr. East. Presented by Mr. Thame |
| <i>Limodorum</i> | <i>Chinense</i> | Introduced by Mr. East. Presented by Mr. Wallen |
| + <i>Schinus</i> | <i>Molle</i> | Soft India Mastich. Introduced by Mr. East. Presented by Mr. Thame |
| <i>Bauhinia</i> | — | Seeds brought out by Lord Effingham |
| <i>Cassia</i> | — | From St. Vincent's Garden |
| <i>Crotalaria</i> | <i>Abyssinica</i> | Crotall. Introduced by Dr. Clarke |
| — | <i>Repanda</i> | Chinese Hemp. Seeds brought out by Lord Effingham. |

European and North-American Trees, Shrubs, &c. &c.

| | | |
|------------------|----------------------|--|
| <i>Quercus</i> | <i>Robur</i> | English Oak. Introduced by Mr. Wallen |
| | <i>Cerris</i> | Turkey Oak. Thomas Dancer, 1792 |
| <i>Fagus</i> | <i>Castanea</i> | Chestnut. First introduced by Mr. Wallen, several years ago; by Thomas Dancer, 1792 |
| | <i>Pumila</i> | Chinquapin Chestnut; by Thomas Dancer, 1792 |
| <i>Platanus</i> | <i>Orientalis</i> | Oriental Plane. Thomas Dancer, 1792 |
| | <i>Hispanic.</i> | Spanish Plane. Thomas Dancer, 1792 |
| <i>Acer</i> | <i>Pseudoplatan.</i> | Sycamore Maple |
| | <i>Monspeliens.</i> | Montpelier Maple |
| | <i>Saccharina</i> | Sugar Maple. Presented by Mr. Wallen |
| <i>Aesculus</i> | <i>Hippocastan.</i> | Horse Chestnut. Introduced by T. Dancer, 1792 |
| | <i>Pavia</i> | Dwarf Horse Chestnut. Introduced many years since by Mr. Wallen; lately by Thomas Dancer |
| <i>Juglans</i> | <i>Regia</i> | Walnut. Introduced by Mr. Wallen and by Dr. Clarke |
| | <i>Alba</i> | Hicory. By ditto |
| <i>Corylus</i> | | Hazle Nut |
| <i>Amygdalus</i> | <i>Persica</i> | Peach Tree. Introduced by Mr. Wallen |
| | <i>Commun.</i> | Almond. Ditto; by Thomas Dancer, 1792 |
| <i>Olea</i> | <i>Europæa</i> | Olive. Introduced by Mr. Wallen; by Thomas Dancer, 1792 |
| <i>Pyrus</i> | <i>Malus</i> | Apple, several kinds. Introduced by various persons |
| | <i>Cydonia</i> | Quince. Introduced long ago by various persons; by Thomas Dancer, 1792 |
| <i>Mespilus</i> | <i>Germanica</i> | Medlar. Introduced by Mr. Wallen; by Thomas Dancer, 1792 |
| <i>Morus</i> | <i>Nigra</i> | Mulberry. Introduced long ago |
| | <i>Alba</i> | White Mulberry. Presented by Mr. Loofely |
| | | <i>Rubus</i> |

| | | |
|----------------------|--------------------|--|
| <i>Rubus</i> | <i>Idæus</i> | Raspberry. Introduced by Mr. Baker and others |
| | <i>Sylvaticus</i> | Blackberry, 2 species. Introduced by Mr. Wallen |
| <i>Fragaria</i> | | Strawberry, several kinds. Mr. Wallen and others |
| <i>Pistachia</i> | | Pistacia Nut. Introduced by Mr. East; by Thomas Dancer, 1792 |
| <i>Prunus</i> | <i>Mahaleb</i> | Bird Cherry. Introduced by Tho. Dancer, 1792 |
| † | <i>Padus</i> | Ditto. Ditto |
| <i>Fraxinus</i> | <i>Ornus</i> | Manna Ash. Introduced by Dr. Clarke |
| <i>Sambucus</i> | <i>Ebulus</i> | Dwarf Elder. Ditto |
| | <i>Niger</i> | Common Elder. Introduced by Mr. Wallen |
| <i>Laurus</i> | <i>Sassafras</i> | Introduced by Mr. Wallen |
| | <i>Benzoin</i> | G. Benjamin; by Thomas Dancer, 1792 |
| † <i>Calycanthus</i> | <i>Floridus</i> | Carolina Allspice. Introduced by Mr. East; by Thomas Dancer, 1792 |
| <i>Ceratonia</i> | <i>Siliqua</i> | Carob, or St. John's Bread. Introduced by Mr. East; by Thomas Dancer, 1792 |
| † <i>Liquidamb.</i> | <i>Styraciflua</i> | Storax. By Thomas Dancer, 1792 |
| <i>Sophora</i> | <i>Virginica</i> | Seeds sent to Thomas Dancer by Mr. Lee |
| † <i>Populus</i> | <i>Amabaca</i> | Introduced by Thomas Dancer, 1792 |
| † <i>Cistus</i> | <i>Labdanif.</i> | Gum Cistus. By Thomas Dancer, 1792 |
| <i>Rbus</i> | <i>Cotinus</i> | Venus's Sumach. By Thomas Dancer, 1792 |
| † | <i>Radicans</i> | Poison Oak. Ditto |
| † | <i>Vernix</i> | Varnish. Ditto |
| | <i>Sumach</i> | Sumach. Introduced by Mr. East, and presented by him |
| <i>Ximenia</i> | <i>Aculeat</i> | Introduced by Mr. East, and presented by Mr. Thame |
| <i>Myrica</i> | <i>Cerifera</i> | Candle-berry Myrtle. Introduced by Mr. East |
| <i>Magnolia</i> | <i>Grandiflora</i> | Laurel-leaved Tulip. Introduced by Mr. Wallen, and Dr. Clarke |
| | <i>Glauca</i> | By Mr. Wallen, and presented by him |

| | | |
|---------------------|---------------------|---|
| <i>Liriodendrum</i> | <i>Tulipifera</i> | Tulip Tree. Introduced by Mr. Barrett; by Thomas Dancer, 1792 |
| <i>Chionanthus</i> | <i>Virginica</i> | Fringe Tree from North-America. Introduced by Thomas Dancer, 1792 |
| <i>Nyssa</i> | <i>Tupelo</i> | Tupelo Tree from North-America. Introduced by Thomas Dancer, 1792 |
| <i>Cercis</i> | <i>Siliquast.</i> | Judas Tree. Thomas Dancer, 1792 |
| <i>Viburnum</i> | <i>Tinus</i> | Viburnum or . Thomas Dancer, 1792 |
| † <i>Spiræa</i> | <i>Opulus</i> | Carolina Gelder Rose. Thomas Dancer, 1792. |
| <i>Arbutus</i> | <i>Unedo</i> | Arbutus, or Strawberry Tree. Thomas Dancer, 1792 |
| † ——— | <i>Andrachne</i> | Mock Orange. By Mr. Wallen, and presented by him |
| <i>Ruscus</i> | <i>Alexandrin.</i> | Butchers Broom |
| <i>Lygeum</i> | <i>Spartium</i> | The poor in Spain manufacture coats with the materials of this plant, which resist wet, and hardly ever wear out. Tho. Dancer, 1792 |
| <i>Spartium</i> | <i>Scoparium</i> | Common Broom. Presented by Mr. Wallen |
| † <i>Kalmia</i> | <i>Latifolia</i> | Thomas Dancer, 179 <i>Broad leaved Laurel</i> |
| † | <i>Angustifolia</i> | Presented by Mr. Wallen <i>narrow do.</i> |
| <i>Quercus</i> | <i>Suber</i> | Cork Tree. Introduced by Mr. East; by Thomas Dancer, 1792 |
| † | <i>Coccifera</i> | Kermes Oak. By Thomas Dancer, 1792 |
| <i>Salix</i> | <i>Babylon.</i> | Weeping Willow. By Mr. East |
| <i>Lonicera</i> | <i>Tartarica</i> | Honey Suckle. Mr. Wallen |
| | <i>Americana</i> | Upright American ditto. By Tho. Dancer, 1792 |
| <i>Tradescantia</i> | <i>Virginica</i> | Virginia Spiderwort. By Thomas Dancer, 1792 |
| † <i>Syringa</i> | <i>Vulgaris</i> | Lilac. By Mr. East, and Mr. Wallen; by Thomas Dancer, 1792 |
| † | <i>Persica</i> | Persian ditto. By Thomas Dancer, 1792 |
| <i>Myrtus</i> | | Myrtle, several species |

| | | |
|------------------|----------------------|--|
| <i>Jasminum</i> | <i>Officinale</i> | Jasmine |
| | <i>Odorat.</i> | Introduced by Mr. East. Presented by Mr. Thame |
| | <i>Azoricum</i> | |
| <i>Rosa</i> | <i>Eglentaria</i> | Sweet Briar. By Mr. Wallen |
| | <i>Alba moschat.</i> | White Mosch Rose. Ditto |
| | <i>Cinnamom.</i> | Cinnamon ditto. Ditto |
| | <i>† Muscosa</i> | Mos Provence. Thomas Dancer, 1792 |
| <i>Hypericum</i> | <i>Balearic.</i> | St. John's Wort. By Mr. Wallen |
| | <i>Monogyn.</i> | By Mr. East. Presented by Mr. Thame |
| <i>Psoralea</i> | two species, | By Major Greene |
| <i>Colutea</i> | <i>Frutescens ?</i> | By ditto |
| <i>Cupressus</i> | <i>Sempervirens</i> | Cypress |
| <i>† Pinus</i> | <i>Cedrus</i> | Cedar of Lebanon. By Mr. East and Dr. Clarke |
| <i>†</i> | <i>Tæda</i> | Frankincense. By Thomas Dancer, 1792 |
| <i>†</i> | <i>Halapensis</i> | Aleppo Pine. By Thomas Dancer, 1792 |
| <i>†</i> | <i>Balsamea</i> | Canadian Balsam. By Thomas Dancer, 1792 |

South-American and Exotic West-Indian Plants.

| | | |
|-----------------------|--------------------|---|
| <i>Smilax</i> | <i>Sarsa</i> | Sarsaparilla. Introduced by Mr. Bailey in 176 |
| <i>Annona</i> | <i>Cheremoja</i> | Peruvian Sweet Sop |
| <i>Quassia</i> | <i>Amara</i> | Quassia Bark, Medicinal. Sent from St. Vincent's Garden. Presented by Mr. Thame |
| <i>Epidendrum</i> | <i>Vanilla</i> | Vanilloe. Presented by Mr. M'Gregor |
| <i>Cassine</i> | <i>Paragua</i> | Paragua Herb. Introduced by Mr. Wallen; by Thomas Dancer, 1792 |
| <i>Cactus</i> | <i>Coccinifer</i> | Cochineal Opuntia, or Nopal |
| <hr/> | <i>Pereskia</i> | Spanish Gooseberry |
| † <i>Tradescantia</i> | <i>Discolor</i> | Honduras Spiderwort. Brought by Mr. Shake- spear, 1778 |
| <i>Yucca</i> | <i>Alofolia</i> | Adams's Needle, or Dagger Plant. Brought by the Rev. Dr. Lindsay, from Barbadoes, 1772 |
| <hr/> | <i>Filamentosa</i> | Introduced by Thomas Dancer, 1792 |
| <i>Arundo</i> | <i>Bambu</i> | Bamboo Cane. Introduced by Mr. Wallen |

Officinal and Culinary Herbs and Roots.

| | | |
|----------------------|-------------------|--|
| † <i>Rhæum</i> | <i>Palmatum</i> | True Rhubarb. Introduced by Mr. East. Seeds sent to Thomas Dancer by Mr. Lee, 1792 |
| † | <i>Undulat.</i> | Presented by Mr. Wallen. Seeds sent by Mr. Lee |
| † | <i>Compactum</i> | Seeds sent by Mr. Lee |
| <i>Centaurea</i> | <i>Benedicta</i> | Blessed Thistle. By Mr. East |
| <i>Anthemis</i> | <i>Nobilis</i> | Cammomile |
| <i>Mentha</i> | <i>Comm.</i> | Mint |
| | <i>Piperitis</i> | Pepper Mint |
| | <i>Pulegium</i> | Penny Royal |
| <i>Melissa</i> | | Baume |
| <i>Abinthium</i> | | Wormwood |
| <i>Tanacetum</i> | | Tansey |
| <i>Anethum</i> | | Sweet Fennel |
| <i>Glechoma</i> | | Ground Ivey |
| <i>Scilla</i> | | Squills |
| <i>Eryngium</i> | | Eringo |
| <i>Dracocephalon</i> | <i>Moldav.</i> | Moldavian Baume |
| <i>Borrago</i> | <i>Officinal.</i> | Borrage |
| <i>Nepeta</i> | | Catmint |
| <i>Ocimum</i> | | Sweet Basil |
| <i>Lavendula</i> | | Lavender, different species |
| <i>Rosmarinus</i> | | Rosemary |
| <i>Artemisia</i> | <i>Abrotan.</i> | Southernwood |
| <i>Anisum</i> | | Anniseed |
| <i>Achillæa</i> | <i>Millefol.</i> | Millefoil, Yarrow |
| <i>Verbascum</i> | | High-Toper |
| <i>Datura</i> | <i>Stramon.</i> | Thorn Apple, double flower |
| <i>Aconitum</i> | <i>Napellus</i> | Wolfsbane |
| <i>Galega</i> | <i>Officin.</i> | Goats Rue |
| <i>Acetosa</i> | | Sorrel |
| <i>Symbrium</i> | | Land Water Cress |

Flowers.

Flowers.

| | | |
|----------------------|-------------------|---|
| <i>Helianthus</i> | | Sun-Flower |
| <i>Amaranthus</i> | <i>Hypochond.</i> | Coxcomb, red and white |
| ———— | <i>Tricolor</i> | Tricolor Amaranth |
| <i>Gomphrena</i> | | Globe Amaranth, or Batchelor's Buttons, red and white |
| <i>Tagetes</i> | <i>Patula</i> | French Marigold |
| ———— | <i>Erecta</i> | African ditto |
| <i>Chrysanthemum</i> | <i>Ann.</i> | Chryanthem, yellow and white |
| <i>Xeranthemum</i> | | Everlasting Flower |
| <i>Zinnia</i> | <i>Parviflora</i> | |
| <i>Alcea</i> | <i>Rosea</i> | Chinese Holly-Hock |
| <i>Salvia</i> | <i>Africana</i> | |
| <i>Pentapetes</i> | <i>Phœnicia</i> | |
| <i>Fuschia</i> | <i>Coccinea</i> | |
| <i>Silene</i> | | Viscous Campion |
| <i>Lychnis</i> | | Catch-fly |
| <i>Dianthus</i> | | Pink, several species |
| <i>Calendula</i> | | |
| <i>Portulaca</i> | | Purslane, several species |
| <i>Sedum</i> | <i>Anacamps.</i> | |
| <i>Mesembryanth</i> | <i>Chrystall.</i> | Ice Plant |
| <i>Geranium</i> | | Several species |
| <i>Aster</i> | | Several species |
| <i>Vinca</i> | <i>Rosea</i> | |
| | <i>Alba</i> | Red and white Periwinkle |
| <i>Plumbago</i> | <i>Rosea</i> | |
| <i>Malva</i> | <i>Crispa</i> | Curled Mallow |
| <i>Galega</i> | <i>Rosea</i> | |
| <i>Crotallaria</i> | | Several species |

Lupinus

| | | |
|--------------------|---------------------|----------------------------------|
| <i>Lupinus</i> | | Yellow Lupine |
| <i>Phaseolus</i> | | |
| <i>Orobis</i> | | |
| <i>Lilium</i> | <i>Martagon</i> | Martagon Lilly |
| | <i>Chalcedonic.</i> | Chalcedonic ditto |
| <i>Amaryllis</i> | <i>Formosissima</i> | Jacobæan ditto |
| | <i>Vittata</i> | Ribbon ditto |
| | <i>Belladon.</i> | Belladonna ditto |
| | <i>Regina</i> | Queen ditto |
| <i>Iris</i> | | Fleur de Lis |
| <i>Scabiosa</i> | | Sweet Scabious |
| <i>Anemone</i> | | Wind-flower |
| <i>Aquilegia</i> | | Columbine |
| <i>Oenothera</i> | | Primrose Willow |
| <i>Viola</i> | <i>Odorata</i> | Violet |
| | <i>Tricolor</i> | Heart's Ease |
| <i>Limodorum</i> | <i>Chinense</i> | |
| <i>Impatiens</i> | <i>Balsamina</i> | Painted Ladies |
| <i>Ixia</i> | <i>Crocata</i> | Bastard Saffron |
| <i>Clitoria</i> | <i>Ternatea</i> | Blue Pea Flower. Seeds medicinal |
| <i>Ipomæa</i> | <i>Coccinea</i> | |
| | <i>Quamoclit</i> | |
| <i>Convolvulus</i> | <i>Speciosa</i> | and various other species |
| <i>Convallaria</i> | | |
| <i>Browalia</i> | <i>Elate</i> | |

Some of the most rare Indigenous Plants.

| | | |
|-------------------|--------------------|---|
| <i>Juniperus</i> | <i>Bermudiens.</i> | Juniper Cedar |
| <i>Cinchona</i> | <i>Caribbæa</i> | Jamaica Quinquina |
| <i>Geoffroya</i> | <i>Inermis</i> | Cabbage Bark. <i>Vide</i> Dr. Wright's account of the extraordinary vermifuge properties of the bark of this tree, in the Philosophical Tran- sactions |
| <i>Cassia</i> | <i>Fistularis</i> | Officinal Cassia |
| <i>Omphalea</i> | <i>Triandra</i> | Cob Nut |
| <i>Canella</i> | <i>Vera</i> | Canella Bark |
| <i>Throbbroma</i> | <i>Cacao</i> | Chocolate |
| <i>Coffæa</i> | <i>Arabica</i> | Coffee |
| <i>Sapium</i> | <i>Gummiferum</i> | Gum Tree. A tree that grows only in St. Tho- mas in the East, which yields a light and in- flammable gum |
| <i>Rahoubæa</i> | | A new genus of Aublet |
| <i>Kuhania</i> | | Ironwood |
| <i>Besleria</i> | <i>Sp. nov.</i> | |
| <i>Daphne</i> | <i>Laghetto</i> | Lace Bark |
| <i>Myrtus</i> | <i>Pimento</i> | Allspice, or Jamaica Pepper |
| | <i>Balsamæa</i> | |
| <i>Bixa</i> | <i>Orellana</i> | Arnotto |
| <i>Areca</i> | <i>Oleracea</i> | Mountain Cabbage |
| <i>Cocos</i> | <i>Nucifera</i> | |
| <hr/> | <i>Aculeat.</i> | |
| <i>Corypha</i> | | Thatch Palm |
| <i>Elais</i> | <i>Guiniensis</i> | Palm Oil Tree |
| <i>Cocos</i> | <i>Aculeata</i> | Mackaw |
| | <i>Nucifera</i> | Coco Nut |
| <i>Camocladia</i> | | Maiden Plumb |

Spathelia

| | | |
|---------------------|--------------------------|---|
| <i>Spathelia</i> | <i>Simplex</i> | Mountain Pride |
| <i>Sapindus</i> | <i>Saponaria</i> | Soap Tree. The berries are celebrated as an efficacious cure for rheumatism |
| <i>Securidiaca</i> | <i>Scandens</i> | |
| <i>Duranta</i> | <i>Ellisia</i> | |
| <i>Volkameria</i> | <i>Aculeata</i> | |
| <i>Poinciana</i> | <i>Pulcherima</i> | Barbadoes Bride, or Spanish Carnation |
| ————— | <i>Id. flore pleno</i> | |
| <i>Cerbera</i> | <i>Thevetia</i> | grow at all Rickets - |
| <i>Plumieria</i> | <i>Rubra</i> | |
| | <i>Alba</i> | Red and White-Spanish Jasmine |
| <i>Parkinsonia</i> | <i>Aculeata</i> | Jerusalem Thorn |
| <i>Punica</i> | <i>Granatum</i> | Pomegranate |
| ————— | <i>Id. flore pleno</i> | Balaustine |
| ————— | <i>Nana</i> | Dwarf Pomegranate |
| <i>Bignonia</i> | <i>Stans</i> | |
| <i>Euphorbia</i> | <i>Wallenii vel pun.</i> | Wallenia |
| | <i>Tithamyloid.</i> | |
| <i>Portlandia</i> | <i>Grandiflora</i> | |
| <i>Amyris</i> | <i>Balsamif.</i> | Rose Wood |
| | <i>Maritima</i> | |
| <i>Polypodium</i> | <i>Maximum</i> | Fern Tree |
| <i>Jatropha</i> | <i>Multifida</i> | French Physic Nut |
| | <i>Gossypifolia</i> | Belly Ache Bush |
| <i>Phyllanthus</i> | <i>Epiphyllanth.</i> | |
| <i>Smilax</i> | <i>Chinæ</i> | China Root |
| | <i>Pseudo-Chinæ</i> | |
| <i>Aristolochia</i> | <i>Flabelliform.</i> | Contrayerva |
| <i>Vitis</i> | <i>Labrusca</i> | Wild Grape, or Water Withe |
| <i>Fevillea</i> | | Calabash Cocoon. A very useful bitter |
| <i>Calea</i> | <i>Jamaicensis</i> | A bitter Herb |
| <i>Sicyos</i> | <i>Edulis</i> | Chochoe |

| | | |
|------------------|---------------------|---|
| <i>Solanum</i> | <i>Lycopersicon</i> | Tomato, several varieties |
| | <i>Melongena</i> | |
| <i>Capficum</i> | | Eleven varieties |
| <i>Cytifus</i> | <i>Ichthyometha</i> | Surinam Poison |
| <i>Coix</i> | <i>Lachr. Jobi</i> | Job's Tears |
| <i>Sesamum</i> | <i>Orientalis</i> | Vangloe. Purging oily Grain |
| | <i>Indicum</i> | Indian Arrow Root ² |
| <i>Maranta</i> | <i>Arundinacea</i> | Indian arrow root |
| <i>Alpinia</i> | <i>Spicata</i> | |
| <i>Amomum</i> | <i>Zerumbet</i> | Wild Ginger |
| | <i>Zingiber</i> | Common Ginger |
| <i>Lepidium</i> | <i>Lyratum</i> | Pepper Grass |
| <i>Lobelia</i> | <i>Longiflora</i> | |
| | <i>Cardinalis</i> | |
| <i>Hermannia</i> | <i>Tomentos</i> | |
| <i>Myrica</i> | <i>Sp. nov.</i> | |
| <i>Protea ?</i> | | |
| <i>Blakea</i> | <i>Trinervia</i> | Wild Rose, a beautiful flower in Boroni's Jan. |
| <i>Wrightea</i> | <i>Rosea</i> | |
| | <i>Alba</i> | |
| <i>Vaccinium</i> | | Bilberry, a native species |
| <i>Rubus</i> | | Blackberry, a native species |

*Wallenia**Camellia Japonica*

Thunberg's travels & Flora Japonica.

T H E E N D.

New York Botanical Garden Library



3 5185 00268 4312



Made in Italy

04-15 STD



8 032919 991409

www.colibrisystem.com

